Applicant(s) Application No. 08/866.129 UEMURA ET AL. Notice of Allowability Examiner Art Unit Douglas A Wille 2814 -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. 1. This communication is responsive to amendment. 2. The allowed claim(s) is/are 1,2,4.6-11 and 20. 3. The drawings filed on 30 May 1997 are accepted by the Examiner. 4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). b) Some\* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. \_\_\_\_\_. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). \* Certified copies not received: 5. Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application) since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78. (a) The translation of the foreign language provisional application has been received. 6. Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121 since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78. Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 7. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient. 8. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) Including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) 🗌 hereto or 2) 🔲 to Paper No. \_\_\_\_ (b) including changes required by the proposed drawing correction filed \_\_\_\_\_, which has been approved by the Examiner. (c) 🔲 including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No. \_\_\_\_ Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the margin according to 37 CFR 1.121(d). 9. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. Attachment(s) 5 Notice of Informal Patent Application (PTO-152) 1⊠ Notice of References Cited (PTO-892) 2 Notice of Draftperson's Patent Drawing Review (PTO-948) 6 Interview Summary (PTO-413), Paper No.\_\_\_\_\_ 3 Information Disclosure Statements (PTO-1449 or PTO/SB/08), 7 Examiner's Amendment/Comment Paper No. 8 Examiner's Statement of Reasons for Allowance 4 Examiner's Comment Regarding Requirement for Deposit 9☐ Other of Biological Material

U.S. Patent and Tracemark Office PTOL-37 (Rev. 11-03) Application/Control Number: 08/866,129

Art Unit: 2814

Page 2

## REASONS FOR ALLOWANCE

The following is an examiner's statement of reasons for allowance. The claimed structure is an electrode on a p-type layer of a nitride semiconductor which is a trilayer with specific metals. Nakamura et al. (5,563,422) show the use of a multilayer p-electrode but does not show the claimed metal sequence. Hashimoto et al. show the use of copper as a base layer but show it on the i-layer of a LED. Thus the claimed electrode structure is not shown in the prior art.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Douglas A Wille whose telephone number is (703) 308-4949. The examiner can normally be reached on M-F (6:15-2:45).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Wael Fahmy can be reached on (703) 308-4918. The fax phone number for the organization where this application or proceeding is assigned is (703) 308-7722.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-0956.

Douglas A. Wille

Primary Examiner